

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name: Fleckenblitz
 Product Number: 0511
 Product Type: Mixture
 Use of mixture: Stain Remover

For professional use only.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses

Stain Remover for rugs, carpets, and upholstery – manual methods.

Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

CEBE Reinigungschemie GmbH
 Ruhrstrasse 47
 22761 Hamburg
 Germany

Telephone: +49.40.851 82 -0 Telefax: +49.40.851 82 29 Email: info@cebechem.com
 Responsible/issuing person: Dr. Jan M. Reimers

1.4 Emergency telephone number

Emergency telephone number: +49.40.851 82 -0 (Mo. – Th. 8:00 to 16:45, Fr. 8:00 to 15:30)

2. Hazards identification

➤ 2.1 Classification of the substance or mixture

Product definition: mixture

Classification according to Regulation (EU) No. 1272/2008 (CLP)

Hazard class and hazard category	Hazard statements
Aerosol 1	H222, H229
Eye Irrit. 2	H319

See section 11 for more detailed information on health effects and symptoms.

➤ 2.2 Label elements

Labelling according to Regulation (EU) No. 1272/2008

Hazard symbol(s):



Signal Word:

Danger.

Hazard Statements:	H222	Extremely flammable aerosol.
	H229 H319 EUH066 cracking.	Pressurised container: may burst if heated. Causes serious eye irritation. Repeated exposure may cause skin dryness or cracking.
Precautionary Statements:		
Prevention:	P102 P210 P211 P251 P260 P264 P271 P280	Keep out of reach of children. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Do not breathe spray. Wash hands thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Reaction:	P305+P351+P338 P337 + P313	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Storage:	P403 P410+P412	Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
Disposal:	P501	Dispose of contents/container in problem waste disposal facility.
Additional labelling elements: Pressurized container. Protect from sunlight and temperatures above 50°C (i.e. electric lights). Keep away from sources of ignition. Do not smoke. Do not spray on a naked flame or any incandescent material. Do not force open or burn even after use. Do not spray in eyes. Keep out of reach of children. Use only according to purpose. Only give completely emptied box in the collection of recyclable materials.		
2.3 Other hazards		
Other hazards that do not lead to a classification: Not applicable.		

3. Composition/information on ingredients

3.2 Mixtures

Hazardous Components	Identifiers	Wt.-%	Classification (EU) 1272/2008
Propellant	EG : 270-681-9 CAS : 68476-40-4	25 - 50%	Flam. Gas 1, H220 Liquef. Gas, H280
n-Butylacetate	EG : 204-658-1 CAS : 123-86-4	15 – 25%	Flam. Liq. 3, H226 STOT SE 3, H336

Ethanol	REACH #: 01- 2119457610-43 EG: 200-578-6 CAS: 64-17-5 Index: 603-002 00-5	15 – 25%	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Hydrocarbons, C9- C11, n-alkanes, isoalkanes, cyclenes	REACH#: 01-2119463258-33 EG: 919-857-5	5 – 15%	Flam. Liq. 3, H226 STOT SE3, H336 Asp. Tox. 1, H304
Hydrocarbons, C9- C11, isoalkanes, cycloalkanes	REACH#: 01-2119480153-44 EG: 920-134-1	5 – 15%	Flam. Liq. 3, H226 STOT SE3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
See section 16 for the full wording of the above mentioned H- statements.			

At the time of creation of this data sheet no further ingredients were classified as hazardous to health or environment or were contained in concentrations that did not mandate their mention in this section.

4. First aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if adverse health effects persist or are severe.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. In the absence or irregular breathing, or if respiratory arrest occurs provide artificial respiration by trained personnel or oxygen. For the first person providing aid it can be dangerous to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and seek immediate medical attention. Maintain an open airway. Loosen tight clothing (eg. collar, tie, belt, or waistband).

Skin contact: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 15 minutes. Get medical attention if adverse health effects persist or are severe. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Ingestion: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. For the first person providing aid it can be dangerous to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact: No known significant effects or critical hazards.

Inhalation: No known significant effects or critical hazards.

Skin contact: No known significant effects or critical hazards.

Ingestion: No known significant effects or critical hazards.

Signs / symptoms of overexposure

Eye contact: Adverse symptoms may include the following: irritation, reddening.

Inhalation: Adverse symptoms may include: respiratory tract irritation, coughing.

Skin contact: No specific data.

Ingestion: No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Indications for the physician: Treat symptomatically. If larger amounts have been swallowed or inhaled consult specialist for poisoning.

Special treatment: No special treatment.

5. Fire fighting measures

5.1 Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture: Flammable aerosol. Fire or if heated, a pressure increase occurs and the container may burst, causing an explosion hazard. Gas may accumulate in low or confined areas or travel a considerable distance to source of ignition and spread causing a flashback with a fire or explosion. In case of fire bursting aerosol containers may fly with great speed. Runoff to sewer may create fire or explosion hazard.

Hazardous combustion products: Decomposition products may include the following materials:
Carbon dioxide, carbon monoxide.

5.3 Advice for firefighters

Special precautions for fire- fighters: In case of fire the scene cordon immediately removing all persons from the danger area. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if safe to do so. Spray fire-exposed containers with water to cool.

Special protective equipment for firefighters: Fire fighters should wear proper protective equipment.

6. Accidental release measures

6.1 Personal precautions, protective equipment, and emergency procedures

For persons that are not emergency technicians: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In case of aerosol cans being ruptured, take care from the rapid escape of the pressurized contents and propellant. Shut off all ignition sources. Avoid flares, smoking or flames in hazard area and breathing vapor or mist. Ensure adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. Put on appropriate personal protective equipment. In case of insufficient ventilation wear suitable respiratory equipment. Put on appropriate personal protective equipment.

For first aid personel in case of emergency: If protective equipment/clothing is needed in case of accidental release, Section 8 should be consulted for appropriate and inappropriate materials. See section 8 for further information on hygiene measures.

6.2 Environmental precautions

Avoid the proliferation and dispersal of spilled material and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Small amounts: Absorb with inert material and keep in suitable disposal containers.

Large amounts: Large spill: avoid entry into sewers, water courses, basements, or confined areas. Collect spill material using non-flammable absorption agent (eg. sand, earth, vermiculite or diatomaceous earth) and hand it in for disposal according to local regulations in an appropriate container (see section 13).

6.4 Reference to other sections

See section 1 for contact information in case of emergency. See section 8 for information regarding personal protective equipment. See section 13 for further information about waste treatment/disposal.

7. Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any exposure scenario or when exposure scenarios on the available application-specific information.

7.1 Precautions for safe handling

Protective measures: Put on appropriate (see section 8) protective gear. Pressurized container. Protect from sunlight and temperatures above 50°C. Do not force open or burn even after use. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid breathing vapor or mist. Use only with adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. Store away from heat, sparks, open flame or any other ignition sources. Empty containers retain product residue and can be dangerous.

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. After use or contact with the substance immediately wash hands and face especially before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Do not store above the following temperature: 25 °C (77 °F). Store in accordance with local regulations. Store in a separate and approved area. Protect from direct sunlight. Store in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and do not store with food and drink. Remove all sources of ignition. Use appropriate container to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations: No information available.

8. Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any exposure scenario or when exposure scenarios on the available application-specific information.

➤ 8.1 Control parameters

Occupational exposure limit values

Name of substance	Exposure limit value
-------------------	----------------------

Propellant	WEL 1000 ppm (V / V), exceeding a factor of 4 (II)
n-Butylacetate	WEL 20 ml/m ³
Ethanol	WEL (Germany, 8/2010). Short term value: 1920 mg/m ³ 15 Minute(n). Short term value: 1000 ppm 15 Minutes. Shift average value: 960 mg/m ³ 8 hours. Shift average value: 500 ppm 8 hours

Recommended monitoring procedures

If this product contains ingredients with exposure limits, monitoring procedures are personal, (related to workplace) or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and / or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

Derived effect concentrations

No Derived No Effect Levels (DNEL) – values available.

Predicted effect concentrations

No Predicted No Effect Concentrations (PNEC) available.

8.2 Limitation and monitoring of exposure

Appropriate technical controls: Use only with adequate ventilation.

Personal protective measures

Hygiene measures: After handling chemical products and at the end of the working day as well as before eating, smoking and using the toilet thoroughly wash hands, forearms and face. Select appropriate techniques to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the work area.

Eye protection / face protection (EN 166): when a risk assessment indicates this is necessary, goggles should be worn that meet an approved standard to avoid exposure to liquid splashes, mists or dusts.

Hand protection (EN 374): when handling chemical products chemical-resistant, impervious gloves complying with an approved standard must be used when a risk assessment indicates this is necessary.

Skin protection (EN 14605): Before handling this product the personal protective equipment should be selected on the basis of the task and the associated risks to be carried out and approved by a specialist.

Other skin protection: Appropriate footwear and any additional skin protection measures based on the task being performed and the risks involved and should be approved by a specialist.

Respiratory protection (EN 143, 14387): With danger of inhaling: Half mask with combination filter for organic vapors and particles. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators.

Thermal hazards: Not applicable.

Delimitation and monitoring of the environmental exposition: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will

be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

➤ 9.1 Information on basic physical and chemical properties

- a) **Appearance:** **Form:** aerosol **Color:** colorless
- b) **Odor:** like solvent
- c) **Odor threshold:** Not applicable and/or not determined for this mixture
- d) **pH:** Not applicable
- e) **Freezing/melting point:** Not applicable and/or not determined for this mixture
- f) **Boiling point/boiling range:** Not applicable and/or not determined for this mixture
- g) **Flash point:** < 0°C
- h) **Evaporation rate:** Not applicable and/or not determined for this mixture
- i) **Flammability (solid, gas):** Not applicable and/or not determined for this mixture
- j) **Upper/lower explosion limit:** Not applicable and/or not determined for this mixture
- k) **Vapor pressure:** Not applicable and/or not determined for this mixture
- l) **Relative vapor density:** Not applicable and/or not determined for this mixture
- m) **Density:** 0.73 g/cm³ at 20°C
- n) **Solubility** easily soluble in the following substances: hydrocarbon solvents
- o) **partition coefficient:** n-octanol/water: Not applicable and/or not determined for this mixture
- p) **Ignition temperature:** Not applicable and/or not determined for this mixture
- q) **Thermal decomposition:** Not applicable and/or not determined for this mixture
- r) **Viscosity, dynamic:** Not applicable and/or not determined for this mixture
- s) **Explosive properties:** Not applicable and/or not determined for this mixture
- t) **Oxidizing properties:** Not applicable and/or not determined for this mixture

9.2 Other information

No further information available.

10. Stability and reactivity

10.1 Reactivity

No specific data for this product or its ingredients are available.

10.2 Chemical stability

The product is stable.

10.3 Possibility of hazardous reactions

Under normal storage conditions and under normal use will not occur dangerous reactions.

10.4 Conditions to avoid

All possible sources of ignition (spark or flame). Do not pressurize containers or cut, weld, braze, solder, drill, grind them or expose them to heat or sources of ignition.

10.5 Incompatible materials

No specific data available.

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information

➤ **11.1 Information on toxicological effects**

a) acute toxicity:

Name of Substance	Result	Species	Dose	Exposition
n-Butylacetate	LD ₅₀ Oral	Rat	13,100 mg/kg	-
	LC ₅₀ Inhalative	Rat	>21 mg/l	4 hours
	LD ₅₀ Dermal	Rabbit	>17,600 mg/kg	-
Ethanol	LD ₅₀ Oral	Rat	>2,000 mg/kg	-
	LD ₅₀ Dermal	Rat	>2,000 mg/kg	-
	LC ₅₀ Inhalative	Rabbit	>20 mg/l	4 hours
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclenes	LD ₅₀ Oral	Rat	>5,000 mg/kg	-
	LC ₅₀ Inhalative	Rat	>5 mg/kg	-
	LD ₅₀ Dermal	Rabbit	>5,000 mg/kg	-
Hydrocarbons, C9-C11, isoalkanes, cycloalkanes	LD ₅₀ Oral	Rat	>5,000 mg/kg	-
	LD ₅₀ Inhalative	Rat	>5 mg/kg	-
	LD ₅₀ Dermal	Rabbit	>5,000 mg/kg	-

Conclusion/Summary: Not determined for this mixture.

b) Irritation to skin; c) Irritation to eyes; d) Sensitisation

Name of Substance	Result	Species	Points	Exposition	Observation
n-Butylacetate	Skin: Repeated exposure may cause skin dryness or cracking. Affects skin degreasing	-	-	-	-
	Eyes: Mild eye	Rabbit	-	-	-

	irritation Sensitization: not sensitizing	Guinea Pig	-	-	-
Ethanol	Skin - non-irritant Eyes - slightly irritant Sensitization - non-sensitizing	Rabbit Rabbit Guinea Pig	- - -	- - -	- - -
Hydrocarbons, C9-C11, isoalkanes, cycloalkanes	Skin: Prolonged skin contact may defat the skin and dermatitis Eyes: Causes eye complaints but no damage to the eye tissue Sensitization: No sensitizing effect known	- - -	- - -	- - -	- - -

Conclusion / Summary: Causes serious eye irritation. No sensitizing effects known.

e) Germ cell mutagenicity:

Conclusion / Summary: No known significant effects or critical hazards.

f) carcinogenicity:

Conclusion / Summary: No known significant effects or critical hazards.

g) reproductive toxicity:

Conclusion / Summary: No known significant effects or critical hazards.

h) specific target organ toxicity single exposure

Conclusion / Summary: No known significant effects or critical hazards.

i) specific target organ toxicity after repeated exposure

Conclusion / Summary: No known significant effects or critical hazards.

j) Aspiration hazard

Conclusion / Summary: No known significant effects or critical hazards.

Teratogenicity

Conclusion / Summary: No known significant effects or critical hazards.

Information on the likely routes of exposure: No known significant effects or critical hazards.

Potential acute health effects

Inhalation: No known significant effects or critical hazards.

Ingestion: No known significant effects or critical hazards.

Skin contact: No known significant effects or critical hazards.

Eye contact: irritating to the eyes.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No specific data.

Ingestion: No specific data.
Skin contact: No specific data.
Eye contact: pain or irritation, lacrimation, redness.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects: Not determined for the mixture.
Potential delayed effects: Not determined for the mixture.

Long-term exposure

Potential immediate effects: Not determined for the mixture.
Potential delayed effects: Not determined for the mixture.

Potential chronic health effects

Conclusion / Summary: Not determined for the mixture.

General: No known significant effects or critical hazards.
Carcinogenicity: No known significant effects or critical hazards.
Mutagenicity: No known significant effects or critical hazards.
Teratogenicity: No known significant effects or critical hazards.
Developmental effects: No known significant effects or critical hazards.
Fertility effects: No known significant effects or critical hazards.

Other information: Not determined for the preparation.

12. Ecological information

➤ 12.1 Toxicity

Name of substance	Result	Species	Exposition
n-Butylacetate	LC ₅₀ 62 mg/l EC ₅₀ 72.8 mg/l EC ₅₀ 675 mg/l EC ₅₀ 959 mg/l	Fish Daphnia Magna Algae Bakceria	96 hours 24 hours 72 hours 18 hours
Ethanol	LC ₅₀ >100 mg/l EC ₅₀ >100 mg/l EC ₅₀ >100 mg/l	Fish Daphnia Magna Algae	48 hours 24 hours -
Hydrocarbons, C9-C11, isoalkanes, cycloalkanes	LL ₅₀ >1,000 mg/l EL ₀ 1,000 mg/l EL ₅₀ >1,000 mg/l NOELR 100 mg/l LL ₅₀ 3.6 mg/l EL ₅₀ >22-<46 mg/l 1,000 mg/l	Fish Daphnia Algae Algae Fish Daphnia Algen	96 hours 48 hours - - 96 hours 48 hours 72 hours

Conclusion/Summary: Not determined for this mixture.

12.2 Persistence and degradability

Conclusion/Summary: Not determined for this mixture.

12.3 Bioaccumulative potential

Conclusion/Summary: Not determined for this mixture.

12.4 Mobility in soil

Partition coefficient ground/water (K_{oc}): Not determined for this mixture.

Mobilität: Not determined for this mixture.

12.5 Results of PBT and vPvB assessment

PBT: not applicable

vPvB: not applicable

12.6 Other adverse effects

No special effects or hazards known.

13. Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any exposure scenario or when exposure scenarios on the available application-specific information.

Waste disposal according to EC Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in collaboration with the waste disposal authorities.

13.1 Waste treatment methods

Product

Methods of disposal: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. Material and its container must be disposed of in a safe way. Significant quantities of waste product residue should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the environmental protection requirements and waste disposal legislation and the requirements of local authorities. Avoid the proliferation and dispersal of spilled material and contact with soil, waterways, drains and sewers.

Hazardous waste: According to the information available to the supplier at the time of creation/editing of this safety data sheet this product is regulated as hazardous waste in the sense of EU regulation 2008/98/EC.

Packaging

Methods of disposal: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled.

Special precautions: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid the proliferation and dispersal of spilled material and contact with soil, waterways, drains and sewers.

14. Transport information

ADR/RID

ADR/ADNR

IMDG

IATA

14.1 UN Number	1950	1950	1950	1950
14.2 UN proper shipping name	AEROSOLS	AEROSOLS	AEROSOLS	AEROSOLS, FLAMMABLE
14.3 Transport hazard class(es)	2 (5F)	2 (5F)	2.1	2.1
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
14.6 Special precautions for user	None.	None.	None.	None.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

➤ **Multiplier according to ADR / RID 1.1.6.3:** Not applicable for the product's packaging unit.

➤ **Tunnel restriction code:** Not applicable for the product's packaging unit.

15. Regulatory information**15.1 Safety, health, and environmental regulations/legislation specific for the substance/mixture****EC-Regulation Nr. 1907/2006 (REACH)****Appendix XIV - Index of substances that require permission**

Substances causing special concern: None of the ingredients is listed.

Appendix XVII – Restriction of the production, the distribution, and the use of specific hazardous substances, mixtures, and products: Not applicable.

➤ **Other EU-Regulations**

Contents according to 648/2004 EC:

>30% aliphatic hydrocarbons. Propellant: Propane. Butane.

15.2 Chemical safety assessment

This product contains substances that still require substance assessments.

16. Other information

➤ Marks the information that was changed since the last version.

Abbreviations and acronyms:

ADN/ADNR = European agreement for the international transport of hazardous materials on inland waterways

ADR = European agreement for the international transport of hazardous materials on roads

ATE = Estimation acute toxicity

BCF = Bio concentration factor

CLP = Regulation concerning the classification, labeling, and packaging Verordnung über die Einstufung, Kennzeichnung und Verpackung [Regulation (EC) No. 1272/2008]

CAS = Chemical Abstracts Services Number

DNEL = Derived Non-Effect Level

DPD = Mixture regulation [1999/45/EG]

EC = European Commission
EG = EG-Nummer
EUH-Satz = CLP-specific hazard phrase
IATA = International Aviation Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods Code
LogPow = Logarithm base-10 of the n-octanol:water partition coefficient
MARPOL 73/78 = International agreement from 1973 for the prevention of marine pollution caused by ships in the version of the protocol from 1978. ("Marpol" = marine pollution)
MAK = maximum workplace concentration
PBT = Persistent, bioaccumulating, and toxic
PNEC = Predicted No-Effect Concentration
REACH = Regulation concerning the Registration, Evaluation, Approval and Restriction of Chemical Substances [Regulation (EC) No. 1907/2006]
RID = Regulation for the transport of hazardous goods by railway
REACH # = REACH Registration number
vPvB = very persistent and very bioaccumulating

Full text of the abbreviated H-phrases:

H220 Extremely flammable gas.
H225 Highly flammable liquid and vapor.
H226 Flammable liquid and vapor.
H280 Contains gas under pressure; may explode if heated.
H319 Causes serious eye irritation.
H336 May cause drowsiness and dizziness.

Full text of the classifications [CLP/GHS]

Flam. Gas 1 = FLAMMABLE GAS - Category 1
Flam. Liq. 2 = FLAMMABLE LIQUIDS - Category 2
Flam. Liq. 3 = FLAMMABLE LIQUIDS - Category 3
Liquef. Gas = liquefied gas
Eye Irrit. 2 = SERIOUS EYE DAMAGE / EYE IRRITATION - Category 2
STOT SE 3 = SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 3

Manufacturer of protective gloves:

KCL GmbH
Industriepark Rhön
Am Kreuzacker 9
36124 Eichenzell
Germany
Tel. +49(0)659.87-0
www.kcl.de

The information above is based on the information and experienced of the date of issue. They do not have any type of characteristic assurance. They may not be changed or transposed to other products.

Always read and follow the instructions on the label.