

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name: Super Special Cleaner
Product Number: 1010
Product Type: Mixture
Use of mixture: Cleaner

For professional use only.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses

Fire damage cleaner concentrate – manual and semi-manual and machine methods.
Intensive corrective cleaner concentrate – manual and semi-manual and machine methods.

Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

CEBE Reinigungschemie GmbH
Ruhrstrasse 47
22761 Hamburg
Germany

Telephone: +49.40.851 82 -0 Telefax: +49.40.851 82 29 Email: info@cebechem.com
Responsible/issuing person: Dr. Jan M. Reimers

1.4 Emergency telephone number

Emergency telephone number: +49.40.851 82 -0 (Mo. – Th. 8:00 to 16:45, Fr. 8:00 to 15:30)

2. Hazards identification

2.1 Classification of the substance or mixture

Product definition: mixture

Classification according to Regulation (EU) No. 1272/2008 (CLP)

Hazard class and hazard category	Hazard statements
Skin Corr. 1B	H314
Acute Tox. 4	H302

See section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Labelling according to Regulation (EU) No. 1272/2008

Hazard symbol(s):



Signal Word: Danger.

Hazard Statements:	H302 H314	Harmful if swallowed. Causes severe skin burns and eye damage.
Precautionary Statements:		
Prevention:	P260 P280 P264	Do not breathe vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling.
Reaction:	P303+P361+P353 P305+P351+P338 P301+P330+P331 P301+P312 P304+P340	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SWALLOWED: rinse mouth. Do NOT induce Vomiting. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Storage:	P405	Store locked up.
Disposal:	None.	
Additional labelling elements: None.		
2.3 Other hazards		
Other hazards that do not lead to a classification: Not applicable.		

3. Composition/information on ingredients

3.2 Mixtures

Hazardous Components	Identifiers	Wt.-%	Classification (EU) 1272/2008
Ethylene glycol mono-butyl ether	EG : 203-905-0 CAS : 111-76-2	5 – 10%	Acute Tox. 4, H332, H312, H302 Eye Irrit. 2, H319 Skin Irrit.. 2, H315
Isotridecanol, ethoxylated (6-9 EO)	CAS: 9043-30-5	1 – 5%	Acute Tox. 4 H302 Eye Dam. 1, H318
Potassium hydroxide	REACH#: 01-2119487136-33 EG: 215-181-3 CAS: 1310-58-3	1 – 5%	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Acute Tox. 4, H302

Ammoniumhydroxide solution 25%	EG : 215-647-6 CAS : 1336-21-6	1 – 5%	Skin Corr. 1B H314 STOT SE 3 H335 Met. Corr. 1 H290
Na-Cumenesulfonate 40%	REACH#: 01-2119489411-37 EG: 248-983-7 CAS: 28348-53-0	1 – 5%	Eye Irrit. 2, H319
Trisodium nitrilotriacetic acid	REACH #: 01-2119519239-36-0002 EG: 225-768-6 CAS: 5064-31-3	1 – 5%	Acute Tox. 4 H302 Eye Dam. 2 H319 Carc. 2, H351
See section 16 for the full wording of the above mentioned H-statements.			

At the time of creation of this data sheet no further ingredients were classified as hazardous to health or environment or were contained in concentrations that did not mandate their mention in this section.

4. First aid measures

4.1 Description of first aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if adverse health effects persist or are severe.

Inhalation: Get medical attention immediately. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer must wear an appropriate mask or self-contained breathing apparatus. In the absence of or irregular breathing, or respiratory arrest occurs artificial respiration by trained personnel or provide oxygen. For the first person providing aid it can be dangerous to give mouth-to-mouth resuscitation. If unconscious place in recovery position and seek immediate medical attention. Maintain an open airway. Loosen tight clothing (eg. a collar, tie, belt, or waistband). In case of inhalation of combustion products, symptoms may be delayed.

Skin contact: Get medical attention immediately. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before you take them off or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion: Get medical attention immediately. Wash out mouth with water. Remove denture prosthesis if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting unless directed to do so by medical personnel. Should vomiting occur, keep head low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything to an unconscious person by mouth. If unconscious, place in recovery position and seek immediate medical attention. Maintain an open airway. Loosen tight clothing (eg. a collar, tie, belt or waistband).

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer must wear an appropriate mask or self-contained breathing apparatus. For the first person providing aid it can be dangerous to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before you take them off or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact: Corrosive to eyes. Causes burns.

Inhalation: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory tract. Exposure to decomposition products may cause a health hazard. After exposure serious effects may be delayed.

Skin contact: Corrosive to the skin. Causes burns.

Ingestion: Harmful if swallowed. May cause burns to mouth, throat and stomach.

Signs / symptoms of overexposure

Eye contact: Adverse symptoms may include pain, tearing, redness.

Inhalation: Adverse symptoms may include: respiratory tract irritation, coughing.

Skin contact: Adverse symptoms may include the following: pain or irritation, redness. Blistering may occur.

Ingestion: Adverse symptoms may include: stomach pain.

4.3 Indication of any immediate medical attention and special treatment needed

Indications for the physician: Treat symptomatically. If larger amounts have been swallowed or inhaled consult specialist for poisoning.

Special treatment: No special treatment.

5. Fire fighting measures

5.1 Extinguishing media

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion products: Decomposition products may include the following materials: carbon dioxide, carbon monoxide, nitrogen oxides, potassium oxides.

5.3 Advice for firefighters

Special precautions for fire-fighters: In case of fire the scene cordon immediately removing all persons from the danger area. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if safe to do so. Spray fire-exposed containers with water to cool.

Special protective equipment for firefighters: Fire fighters should wear proper protective equipment.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For persons that are not emergency technicians: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Ensure adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. Put on appropriate personal protective equipment.

For first aid personnel in case of emergency: If protective equipment/clothing is needed in case of accidental release, Section 8 should be consulted for appropriate and inappropriate materials. See section 8

for further information on hygiene measures.

6.2 Environmental precautions

Avoid the proliferation and dispersal of spilled material and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product was caused by environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill: Dilute with plenty of water. Absorb with an inert material and place in an appropriate waste disposal.

Large spill: avoid entry into sewers, water courses, basements, or confined areas. Collect spilt material using non-flammable absorption agent (eg. sand, earth, vermiculite or diatomaceous earth) and hand it in for disposal according to local regulations in an appropriate container (see section 13).

6.4 Reference to other sections

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

7. Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any exposure scenario or when exposure scenarios on the available application-specific information.

7.1 Precautions for safe handling

Protective measures: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or on clothing. Do not breathe vapor or mist. Do not ingest. If the material is a risk for the respiratory system in normal use, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative container, which was made from a compatible material. Keep the container tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be dangerous. Do not reuse container.

Advice on general occupational hygiene: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. After use or contact with the substance immediately wash hands and face especially before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 0 to 40°C (32 to 104°F). Store in accordance with local regulations. Keep only in original container. Protect from direct sunlight. Store in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and do not store with food and drink. Hold container tightly closed and sealed until ready to use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate container to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations: No information available.

8. Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any exposure scenario or when exposure scenarios on the available application-specific information.

8.1 Control parameters

Occupational exposure limit values

Name of substance	Exposure limit value
Ethyleneglycol mono-butyl ether	WEL 20 ppm, 98 mg/m ³ EU ELV, time weighted average (TWA) 20 ppm, 98 mg/m ³ EU ELV, short term exposure limit (STEL) 50 ppm, 246 mg/m ³
Ammonia	WEL 14 mg/m ³ , 20 ml/m ³ 2(1); DFG, EU, Y IOELV (EU) Short term value: 36 mg/m ³ , 50 ml/m ³ Long term value: 14 mg/m ³ , 20 ml/m ³

Recommended monitoring procedures

If this product contains ingredients with exposure limits, monitoring procedures are personal, (related to workplace) or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and / or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

Derived effect levels

Derived No Effect Level - DNEL values:

Ethylene glycol mono-butyl ether:

Workers Acute effects, skin contact (24 h): 89 mg / kg
 Workers Acute effects, inhalation: 663 mg / m³
 Workers Acute effects, Local effects inhalation 246 mg / m³
 Workers, Chronic effects, skin contact (24 h): 75 mg / kg
 Workers, Chronic effects, inhalation: 98 mg / m³

Consumers, Acute effects, skin contact (24 h): 44.5 mg / kg
 Consumers, Acute effects, inhalation: 426 mg / m³
 Consumers, Acute effects swallowing: 13.4 mg / m³
 Consumers, Acute effects, Local effects inhalation 123 mg / m³
 Consumers, Chronic effects, skin contact (24 h): 38 mg / kg
 Consumers, Chronic effects, inhalation: 49 mg / m³
 Consumers, Chronic effects Ingestion: 3.2 mg / m³

Sodium cumenesulfonate:

Workers: Chronic effects - Skin contact: 7.6 mg / kg bw / day
 Workers: Chronic effects - Inhalation: 53.6 mg / m³
 Consumers: Chronic effects - Skin contact: 3.8 mg / kg bw / day
 Consumers: Chronic effects - Inhalation: 13.2 mg / m³

Trisodium nitrilotriacetic acid

Workers: Short term exposure - systemic and local effects, Inhalation: 5.25 mg / m³

Workers: Long term exposure - systemic and local effects, Inhalation: 3.5 mg / m³

Consumers: Short term exposure - systemic and local effects, Inhalation: 1.75 mg / m³

Consumer: Long-term exposure - systemic effects, oral: 0.5 mg / kg bw / day

Predicted effect concentrations

Predicted No Effect Concentration - PNEC:

Ethylene glycol mono-butyl ether:

Freshwater: 8.8 mg / l

Sea water: 8.8 mg / l

Freshwater sediment: 8.14 mg / kg

Ground: 2.8 mg / kg

Sodium cumenesulfonate:

100 mg / l (STP)

0.23 mg / l (Freshwater)

8.2 Limitation and monitoring of exposure

Appropriate technical controls: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Personal protective measures

Hygiene measures: Wash hands, forearms, and face thoroughly after handling chemical products and at the end of the working day as well as before eating, smoking, and using the toilet. Use appropriate techniques to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the work area.

Eye protection / face protection (EN 166): Goggles, chemical goggles or full-face shield.

Hand protection (EN 374): Protective gloves made of nitrile, for example, Camatril® 730 from KCL GmbH (see section 16). Penetration time > 8 hours.

Skin protection (EN 14605): Before handling this product the personal protective equipment should be selected on the basis of the task and the associated risks to be carried out and approved by a specialist.

Other skin protection: Appropriate footwear and any additional skin protection measures based on the task being performed and the risks involved and should be approved by a specialist.

Respiratory protection (EN 143, 14387): Under normal and intended conditions of product use no respirator is required. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators, eg. Gas filter, filter type E, possibly in combination with a particulate filter class P2.

Thermal hazards: Not applicable.

Delimitation and monitoring of the environmental exposition: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

- a) **Appearance:** **Form:** liquid **Color:** green
- b) **Odor:** like ammonia
- c) **Odor threshold:** Not applicable and/or not determined for this mixture
- d) **pH:** 13.5 ± 0.5 at 20°C
- e) **Freezing/melting point:** Not applicable and/or not determined for this mixture
- f) **Boiling point/boiling range:** Not applicable and/or not determined for this mixture
- g) **Flash point:** Not applicable and/or not determined for this mixture
- h) **Evaporation rate:** Not applicable and/or not determined for this mixture
- i) **Flammability (solid, gas):** Not applicable and/or not determined for this mixture
- j) **Upper/lower explosion limit:** Not applicable and/or not determined for this mixture
- k) **Vapor pressure:** Not applicable and/or not determined for this mixture
- l) **Relative vapor density:** Not applicable and/or not determined for this mixture
- m) **Density:** 1.050 – 1.070 g/cm³
- n) **Solubility** easily soluble in the following substances: water
- o) **partition coefficient:** n-octanol/water: Not applicable and/or not determined for this mixture
- p) **Ignition temperature:** Not applicable and/or not determined for this mixture
- q) **Thermal decomposition:** Not applicable and/or not determined for this mixture
- r) **Viscosity, dynamic:** Not applicable and/or not determined for this mixture
- s) **Explosive properties:** Not applicable and/or not determined for this mixture
- t) **Oxidizing properties:** Not applicable and/or not determined for this mixture

9.2 Other information

No further information available.

10. Stability and reactivity

10.1 Reactivity

Violent reaction takes place with acids.

10.2 Chemical stability

The product is stable.

10.3 Possibility of hazardous reactions

Dangerous reactions will not occur under normal storage conditions and under normal use.

10.4 Conditions to avoid

No specific data.

10.5 Incompatible materials

Extremely reactive or incompatible with the following materials: acids.

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Evolution of hydrogen on contact with base metals (eg, zinc, iron, aluminum).

11. Toxicological information

11.1 Information on toxicological effects

a) acute toxicity:

Name of Substance	Result	Species	Dose	Exposition
Ethylene glycol mono-butyl ether	LD ₅₀ Oral	Rat	1,746 mg/kg	-
	Inhalative LD ₅₀ Dermal	Rabbit	Harmful if inhaled 2.270 mg/kg	-
Isotridecanol, ethoxylated (6-9 EO)	LD ₅₀ Oral	Rat	<2,000 mg/kg	-
Potassium hydroxide	LD ₅₀ Oral	Rat	365 mg/kg	-
Sodium cumene sulfonate	LD ₅₀ Oral	Rat	7,000 mg/kg	-
	LD ₅₀ Dermal	Rabbit	>2.000 mg/kg	-
Trisodium nitrilotriacetic acid	LD ₅₀ Oral	Rat	1,000-2,000 mg/kg	-
	LC ₅₀ Inhalative	Rat	> 5mg/l 4 h	-
	LD ₅₀ Dermal	Rabbit	> 10,000 mg/kg	-

Conclusion/Summary: Not determined for this mixture.

b) Irritation to skin; c) Irritation to eyes; d) Sensitisation

Name of Substance	Result	Species	Points	Exposition	Observation
Ethylene glycol mono-butyl ether	Skin: Skin irritation Eyes: Irritating to eyes Sensitization: not sensitizing	Rabbit	-	-	-
		Rabbit	-	-	-
		Guinea Pig	-	-	-
Isotridecanol, ethoxylated (6-9 EO)	Skin - irritating to the skin and mucous membranes	-	-	-	-

	Eye - strong irritant with the danger of severe eye injury Sensitization - no sensitization	-	-	-	-
Potassium hydroxide	Skin: Strong caustic effect on skin and mucous membranes Eye: Strong caustic Sensitization: No sensitizing effect known	-	-	-	-
Ammoniumhydroxide solution 25%	Skin - caustic effect on skin and mucous membranes Eye - severe burns Sensitization - no known sensitizing effects	-	-	-	-
Na-Cumenesulfonate 40%	Skin - non-irritant Eye - Irritability Sensitization - non-sensitizing	-	-	-	-
Trisodium nitrilotriacetic acid	Eyes - irritating	Rabbit	-	-	-

Conclusion / Summary: Causes burns.

e) Germ cell mutagenicity:

Conclusion / Summary: No known significant effects or critical hazards.

f) carcinogenicity:

Conclusion / Summary: No known significant effects or critical hazards.

g) reproductive toxicity:

Conclusion / Summary: No known significant effects or critical hazards.

h) specific target organ toxicity single exposure

Conclusion / Summary: No known significant effects or critical hazards.

i) specific target organ toxicity after repeated exposure

Conclusion / Summary: No known significant effects or critical hazards.

j) Aspiration hazard

Conclusion / Summary: No known significant effects or critical hazards.

Teratogenicity

Conclusion / Summary: No known significant effects or critical hazards.

Information on the likely routes of exposure: No known significant effects or critical hazards.

Potential acute health effects

Inhalation: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory tract. Exposure to decomposition products may cause a health hazard. After exposure Serious effects may be delayed.

Ingestion: May cause burns to mouth, throat and stomach. Harmful if swallowed.

Skin contact: Corrosive to the skin.

Eye contact: Corrosive to eyes. Risk of serious damage to eyes.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No specific data.

Ingestion: Adverse symptoms may include: stomach pain

Skin contact: Adverse symptoms may include: pain or irritation redness. Blistering may occur.

Eye contact: Adverse symptoms may include pain, tearing, redness

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects: Not determined for the mixture.

Potential delayed effects: Not determined for the mixture.

Long-term exposure

Potential immediate effects: Not determined for the mixture.

Potential delayed effects: Not determined for the mixture.

Potential chronic health effects

Conclusion / Summary: Not determined for the mixture.

General: No known significant effects or critical hazards.

Carcinogenicity: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Developmental effects: No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

Other information: Not determined for the preparation.

12. Ecological information

12.1 Toxicity

Name of substance	Result	Species	Exposition
Ethylene glycol mono-butyl ether	LC ₅₀ 1,490 mg/l EC ₅₀ 1,720 mg/l EC ₀ 900 mg/l EC ₀ 700 mg/l	Fish Daphnia Magna Algae Bacteria	96 hours 24 hours 168 hours 16 hours
Isotridecanol, ethoxylated (6-9 EO)	EC ₅₀ >10 mg/l LC ₅₀ >10 mg/l	Daphna Fish	48 hours 96 hours

Potassium hydroxide	LC ₅₀ 80 mg/l	Fish	96 hours
Sodium cumenesulfonate	EC ₅₀ >450 mg/l IC ₅₀ >1,000 mg/l LC ₅₀ >450 mg/l	Daphnia Algae Fish	48 hours 72 hours 96 hours
Trisodium nitrilotriacetic acid	EC ₅₀ 98 mg/l EC ₅₀ >91.5 mg/l EC ₅₀ 3,200 – 5,600 mg/l	Pimephales Promelas Gammarus sp. Scenedesmus subspicatus Pseudomonas fluorescens	96 hours 96 hours 72 hours 8 hours

Conclusion/Summary: Not determined for this mixture.

12.2 Persistence and degradability

Conclusion/Summary: The surface active ingredients contained in this product are biologically degradable according to regulation 648/2004 EC.

12.3 Bioaccumulative potential

Conclusion/Summary: Not determined for this mixture.

12.4 Mobility in soil

Partition coefficient ground/water (K_{oc}): Not determined for this mixture.

Mobility: Not determined for this mixture.

12.5 Results of PBT and vPvB assessment

PBT: not applicable

vPvB: not applicable

12.6 Other adverse effects

No special effects or hazards known.

13. Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any exposure scenario or when exposure scenarios on the available application-specific information.

Waste disposal according to EC Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in collaboration with the waste disposal authorities.

13.1 Waste treatment methods

Product

Methods of disposal: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. Material and its container must be disposed of in a safe way. Significant quantities of waste product residue should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the environmental protection requirements and waste disposal legislation and the requirements of local authorities. Avoid the proliferation and dispersal of spilled material and contact with soil, waterways,

drains and sewers.

Hazardous waste: According to the information available to the supplier at the time of creation/editing of this safety data sheet this product is regulated as hazardous waste in the sense of EU regulation 2008/98/EC.

Packaging

Methods of disposal: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled.

Special precautions: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid the proliferation and dispersal of spilled material and contact with soil, waterways, drains and sewers.

14. Transport information

	ADR/RID	ADR/ADNR	IMDG	IATA
14.1 UN Number	1719	1719	1719	1719
14.2 UN proper shipping name	CAUSTICALKALI LIQUID, N.O.S. (Potassium hydroxide)	CAUSTICALKALI LIQUID, N.O.S. (Potassium hydroxide)	CAUSTICALKALI LIQUID, N.O.S. (Potassium hydroxide)	CAUSTICALKALI LIQUID, N.O.S. (Potassium hydroxide)
14.3 Transport hazard class(es)	8 (C5)	8 (C5)	8	8
14.4 Packing group	II	II	II	II
14.5 Environmental hazards	No.	No.	No.	No.
14.6 Special precautions for user	None.	None.	None.	None.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
 Not applicable.

Multiplier according to ADR / RID 1.1.6.3: 3

Tunnel restriction code: E

15. Regulatory information

15.1 Safety, health, and environmental regulations/legislation specific for the substance/mixture

EC-Regulation Nr. 1907/2006 (REACH)

Appendix XIV - Index of substances that require permission

Substances causing special concern: None of the ingredients is listed.

Appendix XVII – Restriction of the production, the distribution, and the use of specific hazardous substances, mixtures, and products: Not applicable.

Other EU-Regulations

Contents according to 648/2004 EC:

<5% NTA, <5% nonionic surfactants.

15.2 Chemical safety assessment

This product contains substances that still require substance assessments.

16. Other information

➤ Marks the information that was changed since the last version.

Abbreviations and acronyms:

ADN/ADNR = European agreement for the international transport of hazardous materials on inland waterways
ADR = European agreement for the international transport of hazardous materials on roads
ATE = Estimation acute toxicity
BCF = Bio concentration factor
CLP = Regulation concerning the classification, labeling, and packaging Verordnung über die Einstufung, Kennzeichnung und Verpackung [Regulation (EC) No. 1272/2008]
CAS = Chemical Abstracts Services Number
DNEL = Derived Non-Effect Level
DPD = Mixture regulation [1999/45/EG]
EC = European Commission
EG = EG-Nummer
EUH-Satz = CLP-specific hazard phrase
IATA = International Aviation Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods Code
LogPow = Logarithm base-10 of the n-octanol:water partition coefficient
MARPOL 73/78 = International agreement from 1973 for the prevention of marine pollution caused by ships in the version of the protocol from 1978. ("Marpol" = marine pollution)
MAK = maximum workplace concentration
PBT = Persistent, bioaccumulating, and toxic
PNEC = Predicted No-Effect Concentration
REACH = Regulation concerning the Registration, Evaluation, Approval and Restriction of Chemical Substances [Regulation (EC) No. 1907/2006]
RID = Regulation for the transport of hazardous goods by railway
REACH # = REACH Registration number
vPvB = very persistent and very bioaccumulating

Full text of abbreviated H statements:

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H351 Suspected of causing cancer.

Full text of classifications [CLP / GHS]

Acute Tox. 4 = ACUTE TOXICITY: Oral, Dermal, Inhalation - Category 4
Carc. 2 = CARCINOGEN - Category 2
Eye Dam. 1 = SERIOUS EYE DAMAGE / EYE IRRITATION - Category 1
Eye Irrit. 2 = SERIOUS EYE DAMAGE / EYE IRRITATION - Category 2
Met. Corr. 1 = corrosive to metals, substances or mixtures - Category 1
Skin Corr. 1A = CORROSION / IRRITATION SKIN - Category 1A

Super Special Cleaner



Skin Corr. 1B = CORROSION / IRRITATION SKIN - Category 1B

Skin Irrit. 2 = CORROSION / IRRITATION SKIN - Category 2

STOT SE 3 = SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) - Category 3

Manufacturer of protective gloves:

KCL GmbH

Industriepark Rhön

Am Kreuzacker 9

36124 Eichenzell

Germany

Tel. +49(0)659.87-0

www.kcl.de

The information above is based on the information and experienced of the date of issue. They do not have any type of characteristic assurance. They may not be changed or transposed to other products.

Always read and follow the instructions on the label.